

BID NUMBER:

DANE COUNTY DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION

REQUEST FOR BID (RFB) Revised 05/2021 (G/S)(LVP)(LCP)

122025

BID TITLE: BID DEADLINE: SUBMIT BID TO:		ITLE:	F600 Plow Dump S	Spreader
		LINE:	February 11, 2022 2:00 p.m. (CST) Purchasing Bid Dropbox www.danepurchasing.com	
		D TO:		
<u>*Late,</u>	, faxed, ma	iled, hand-d	lelivered or unsigned bids v	will be rejected*
	DIRECT ALL INQUIRES TO:		Carmen Hidalgo Purchasing Officer (608)294-0002 Hidalgo.Carmen@countyofdane.com www.danepurchasing.com	
		BID SUB	MISSION CHECKLIST	·p
Registration Section 1		☐ Section 2	I Bid Packet (In PDF Format) 1 – Vendor Information 2 – Bid Specifications 3 – Price Proposal	□ Upload Bid Response to Purchasing Bid Dropbox
		DATE	ISSUED January 12, 2022	i

VENDOR INFORMATION

VENDOR	NAME:			
Vendor Information (address below will	be used to	confirm Local Ve	endor Preference)
Address		be used to	Commin Local V	
City			County	
State			Zip+4	
Vendor Rep. Name			Telephone	
Title				
Email				
Dane County Vendor #				
Local Vendor (Reference General □ Locally Based & □ Locally Operated □ Non-Locally Ope	Guidelines #1.6) Owned Vendor d Vendor erated Vendor		ocal Content Ver Does Not Apply (Reference General	y To This Bid
Coope	erative Purchasing	(Reference Ge	eneral Guidelines #	1.8)
☐ I agree to furnish the comm	odities or services of this	s bid to municip	alities and state age	ncies.
☐ I <u>do not agree</u> to furnish the	commodities or service	s of this bid to r	municipalities and sta	te agencies.
Foir Loho	r Dractice Certifice	tion (Defense	a Oanaval Ovidalia	44 0)
Fair Labor Practice Certification (Reference General Guidelines #1.9) Vendor has not been found by the National Labor Relations Board ("NLRB") or the Wisconsin Employment Relations Commission ("WERC") to have violated any statute or regulation regarding labor standards or relations in the seven years prior to the date this bid submission is signed. Vendor has been found by the National Labor Relations Board ("NLRB") or the Wisconsin Employment Relations Commission ("WERC") to have violated any statute or regulation regarding labor standards or relations in the seven years prior to the date this bid submission is signed.				standards or relations in in Employment Relations
Addenda – we hereby ack	rowlodgo rosoint re	oviow and us	o of the following	addenda if applicable
		ddendum #3	Addendum	
L Addendam #1 L Ad	dendam #2 Li A	ddenddin #0	Addendam	m- Li None
	Signat	ture Affidavi	t	
In signing this bid, we certify that we have not, either directly or indirectly, entered into any agreement or participated in any collusion or otherwise taken any action in restraint of free competition; that no attempt has been made to induce any other person or firm to submit or not to submit a bid; that this bid has been independently arrived at without collusion with any other bidder, competitor or potential competitor; that this bid has not been knowingly disclosed prior to the opening of bids to any other bidder or competitor; that the above statement is accurate under penalty of perjury.				
The undersigned, submitting th County in this Request for Bid,				
Signature:			Title:	
Printed Name:			Data	

BID AND SPECIFICATION OVERVIEW

Dane County as represented by the Purchasing Division will accept bids for the purchase of specified item(s) as described within this document.

Specification Compliance: Bidder shall complete every space in the area provided with either a check mark to indicate the item being bid is exactly as specified **(Yes)**, or deviates from bid specification **(No)**. Any deviation from the minimum specifications stated herein must be identified in detail in the Specifications Deviations section of the bid and must include a description of how the proposed item(s) differ from the bid requirements, along with detailed justification for such deviation. Bidder shall include photos and schematics as necessary, for complete clarification.

The specifications below describe an acceptable product. Minor variations in specification may be accepted if, in the opinion of County staff, they do not adversely affect the quality, maintenance or performance of the item(s). Dane County reserves the right to accept or reject any and all bids, to waive informalities and to choose the bid that best meets the specifications and needs of the County.

Term: The contract shall be effective on the date indicated on the Dane County purchase order or the Dane County contract execution date and shall run until completion of all truck builds designated within this bid.

If applicable, any renewal terms are not automatic extensions. Vendor performance may be taken into consideration in the decision by the contracting agencies and the Purchasing Division to either continue this contract into each possible renewal term or to terminate and re-bid this contract.

BID SPECIFICATIONSF600 Plow Dump Spreader

General Information: This BID is for the purchase of ONE (1) NEW Dump/Plow/Spreader Truck that is complete and functional on delivery. All components and items will be new materials. The following bid shall be as specified or equivalent.

#	Item/Description		Spec Compliance	
1	CHASSIS / CAB OPTIONS	YES	NO	
2	2022 F-600SD 4x4 Standard Cab with 169 IN WHEELBASE			
3	Dual rear wheels			
4	7.3 L DEV V8 Gas Engine			
5	Seat - VNYL 40/20/40			
6	XL Trim			
7	Dual Zone Heat/AC			
8	AmFm/MP3/CLK Radio			
9	10-SPD Automatic transmission			
10	245 Tractn 4/2			
11	4.88 LTD Slip			
12	Power windows / locks / mirrors			
13	Running boards			
14	22,000# GVWR Package			
15	Engine block Heater			
16	110v/400w outlet			
17	Snow Plow Prep			
18	Brake Controller			
19	Jack			
20	Utility Light SYS			
21	Aft Axle Tank			
22	397 AMP alternator			
23	Dual battery			
24	RR CAM & Prep K			
25	Day running LTS			
26	XL Value PKG			
27	CHASSIS BUILD	YES	NO	
28	Dump Body			
29	Controls			
30	Hydraulics			
31	Plow			
32	Spreader			
33	DUMP BODY	YES	NO	
34	Monroe Snow Fighter Package or Equivalent			
35	MTE-ZEE 11 ft. Stainless steel, 4-5 yd. capacity, folding sides, dump body			
36	7 ga. Floor; 12 ga. Sides & 10 ga. Ends. 16 in. High sides, 22 in. Tailgate			
37	45,000 psi yield strength stainless steel construction			
38	Heavy duty front bulkhead with integral 12 in tapered cab shield & tapered laser cut window			
39	Internal dirt shedding top rails & tailgate			

Section 2 - Bid Specifications - Submit with Bid

40	Western style understructure with 10 ga. Long-members	- Subii	iii with i
11	Single-lever release, quick drop tail gate		
2	(2) Underbody tie loops		
3	FMVSS108, L.E.D. Lights and reflectors with weather-resistant wiring harness		
4	2-1/2 in. Heavy duty receiver hitch in ½ in. Plate with chain loops and ICCbumper		
5	Heavy Duty "D" Rings on each side of Plate		
6	Crysteel solid black plastic side boards with mid mount board support		
7	Stainless steel spring loaded shovel holder mounted on driver side mid		
8	Body board support		
9	Electric backup alarm 97db		
0	Poly fenders		
1	Undercoated		
2	Box vibrator / momentary switch in cab		
3	Manual tarping system		
4	HOIST	YES	NO
5	Subframe Scissor Hoist		
6	Full length heavy duty sub frame		
7	Body prop to support empty box		
8	Body-up light		
9	FULL CENTRAL HYDRAULICS	YES	NO
0	Full central hydraulics package (runs hoist, plow, spreader)		
1	Muncie PTO With Direct Mount Pump		
2	Monroe Hydraulics PKG with Force America SSC3100 spreader control (stainless steel)		
3	12.5 GP manifold valve assembly		
4	Open center, 2500 p.s.i. pre-set system relief, 20 gpm capable		
5	Priority flow for plow		
6	Double acting electric proportional control hoist section with a 500 p.s.i. down port relief		
7	Boss double acting electric control plow lift with float & smart hitch		
8	Boss double acting electric proportional control plow angle		
9	Electric proportional auger function, 14 gpm		
0	Electric proportional spinner function, 5 gpm		
1	HYDRAULIC RESERVOIR /ENCLOSURE	YES	NO
2	13 Gallon Capacity		
3	Filler/breather cap, level/temp sight glass, ¾ in magnetic plug		
4	In-tank filter, 10 micron, 60 p.s.i. condition indicator		
5	In-tank baffle		
6	Valve will be installed in a weather tight compartment on reservoir		
7	Hydraulic reservoir/enclosure will be mounted on frame rail		
8	Stainless steel		
9	CONTROLS	YES	NO
0	Dash mounted momentary rocker switch for hoist control		
1	Forces America SSC3100 spreader control		
2	Proportional controls for granular and liquid applications		
3	Minimum and maximum settings adjustable through the calibration mode		
4	Preconfigured to spread on initial power-up		
5	Groundspeed interrupt		
6	Intuitive Control knobs		
7	Color L.E.D. around the dials illuminate the numbers as rates are increased		

Section 2 - Bid Specifications - Submit with Bid

88	Section 2 – Bid Specifications – Fully adjustable mounting options	Jubii	
39	Simple manual spreading		
0	MISCELLANEOUS HOSES AND FITTINGS	YES	NO
<u></u> 11	Hydraulic hoses & fittings; run to rear for spreader		
2	Hydraulic hoses & fittings; PTO mounted kit		
3	Manifold plate, rubrail mounted (both sides); instl		
)4	Dust covers for all quick couplers		
5	PLOW SPECIFICATIONS	YES	NO
6	10 ft BOSS Power-V-DXT snowplow		
7	High performance hydraulic package		
8	Enclosed hydraulics		
9	Chainless hydraulic cylinder lifting system		
00	Dual trip design		
01	Flared wings		
02	Rubber snow deflector		
03	Reinforced moldboard		
04	Heavy-duty push frame and quadrant		
05	SPREADER SPECIFICATIONS	YES	NO
06	MONROE 6 in One-Way Flight Under Tailgate Spreader stainless steel standard equipment		
07	7 GA. trough		
80	¼ in. end plates		
09	Full opening top and bottom clean-out doors		
10	6 in. auger diameter		
11	Dual discharge		
12	Stainless steel quick detach mounting brackets		
13	Stainless steel tailgate shields		
14	Bare stainless steel finish		
15	18 in. poly spinner disc		
16	Self-leveling spinner assembly without stabilizer rods		
17	LIGHTING AND ELECTRICAL	YES	NO
18	7-way connector, round socket, flat pin, rv style		
19	Monroe/Whelen Responder Series L.E.D. mini light bar; amber; mtr1lppa		
20	Self-leveling bracket for mini light bar		
21	(2) VTX609A strobes on rear corner post above stop/tail/turn lights		
22	All body lights to be L.E.D.		
23	L.E.D. clear spreader light mounted on spreader w/ weather pack connector		
24	INSTALLED	YES	NO
25	Plow installed		
26	Spreader installed		
27	DELIVERY	YES	NO
28	Able to deliver to Dane County Regional Airport		

SPECIFICATION DEVIATIONS

Check One: ☐ No deviations from bid specifications ☐ Deviations from the bid specifications are present – see list below				
ltem #		Deviation Explanation		

PRICE PROPOSAL

VENDOR NAME:		

Pricing shall be inclusive of all labor, delivery costs and other expenses necessary to provide product in accordance with the specifications and terms and conditions of this bid document and your proposal.

#	Item	Pricing / Information
C1	F600 Plow Dump Spreader	\$
C2	Delivery Cost of Vehicle	\$
С3	Total Price	\$
C4	Warranty – describe the warranty that comes with the vehicle. If additional space is needed, please attach the warranty info to the bid submission.	
C5	Nearest Service/Parts Location	
C6	Delivery Days ARO	

	Optional Equipment	
#	Additional items/options – if you would like to have any additional items or options considered in connection with this bid, please indicate the specific item and cost within the space provided here.	Unit Price
P1		\$
P2		\$
Р3		\$
P4		\$
P5		\$
P6		\$
P7		\$
P8		\$
P9		\$
P10		\$
P11		\$

EQUIPMENT INFORMATION – MUST BE COMPLETED

	SNOW PLOW	•	EVERSIBLE FOR DWING	HIGH SPEED
E1	Make & Model:			
E2	Weight	t (lbs.):		
E3	Moldboard	Length (feet/inches) Steel Thickness (inches) # of Vertical Ribs Vertical Ribs Welded?	YES	NO
E4	Safety		YES	NO
E5	Factory Level Lift:		YES	NO
E 6	Number of Springs:			
E7	Degree of Swing:			
		Quantity		
E8	Hydraulic Rams	Cylinder Size		
		Piston Rod Size		
E9	# of Hinge Points between Moldboard and Table:			
E10	Specification Deviations?		YES	NO
E11	Warranty:			
E12	Warranty Work Vendor and Contact Info:			

	HYDRAULICS AND CONTROLS		
E13	Make:		
E14	Model:		
E15	Warranty:		
E16	Warranty Work Vendor and Contact Info:		

	TARP SYSTEMS		
E17	Make:		
E18	Model:		
E19	Warranty:		
E20	Warranty Work Vendor and Contact Info:		

Section 3 - Price Proposal - Submit with Bid

DUMP BODY / HOIST				
E21	Dump Body	Make:		
		Model:		
E22	Hoist	Make:		
		Model:		
E23	Approx. Weight (body/hoist) (lbs.):			
E24	Delivery Time (Calendar Days from ARO):			
E25	Dump Body	Capacity (cu. yds):		
		Length (inches):		
		Height (inches):		
		Width - Outside Top:		
		Width - Outside Bottom:		
		Width - Inside Top:		
		Width - Inside Bottom:		
		Gauge of Steel:		
		Full Opening Tailgate?	YES	NO
		Total Weight (lbs.)		
E26	Body	Cab Shield?	YES	NO
		Structural Frame Type:		
		Detail Truck Mount and Hardware:		
E27	Specification Deviations?		YES	NO
E28	Warranty:			
E29	Warranty Work Vendor and Contact Info:			