

BID NUMBER:

DANE COUNTY DEPARTMENT OF ADMINISTRATION PURCHASING DIVISION

REQUEST FOR BID (RFB) Revised 05/2021 (G/S)(LVP)(LCP)

121085

BID TITLE:		ITLE:	Landoll Dredge T	railer
BID DEADLINE:		LINE:	November 10, 2021 2:00 p.m. (CST)	
SUBMIT BID TO:			Purchasing Bid Dropbox www.danepurchasing.com	
<u>*Late</u>	<u>, faxed, mai</u>	<u>led, hand-d</u>	<u>elivered or unsigned bids w</u>	<u>'ill be rejected*</u>
	ALL IN	ECT QUIRES O: BID SUB	Carmen Hidalgo Purchasing Officer (608)266-4966 Hidalgo.carmen@countyofdane. www.danepurchasing.com	.com
Registration Section 1		☐ Section 1☐ Section 2	Bid Packet (In PDF Format) - Vendor Information - Bid Specifications - Price Proposal	☐ Upload Bid Response to Purchasing Bid Dropbox

DATE ISSUED October 22, 2021

VENDOR INFORMATION

VENDOR	NAME:				
Vendor Information (a	address below w	ill be used to confirm Local Vendor Preference)			
Address					
City		County			
State		Zip+4			
Vendor Rep. Name		Telephone			
Title					
Email					
Dane County Vendor #					
Local Vendor	Preference	Local Content Vendor Preference			
(Reference General		(Reference General Guidelines #1.7)			
□ Locally Based & Owned Vendor		☐ Dane County-Made			
☐ Locally Operated	d Vendor	☐ Regionally-Made			
☐ Non-Locally Ope	rated Vendor	☐ Wisconsin-Made			
☐ No Local Vendor	Preference	□ No Preference			
Coope	erative Purchasin	Ig (Reference General Guidelines #1.8)			
		this bid to municipalities and state agencies.			
		ces of this bid to municipalities and state agencies.			
Fair Labor	u Dunatiaa Cautifia				
		Cation (Reference General Guidelines #1.9)			
☐ Vendor has not been found by the National Labor Relations Board ("NLRB") or the Wisconsin Employment Relations Commission ("WERC") to have violated any statute or regulation regarding labor standards or relations in					
the seven years prior to the dat					
	☐ Vendor has been found by the National Labor Relations Board ("NLRB") or the Wisconsin Employment Relations				
Commission ("WERC") to have violated any statute or regulation regarding labor standards or relations in the seven					
years prior to the date this bid s	submission is signed.				
Addenda – we hereby ack	nowledge receipt,	review and use of the following addenda, if applicable.			
		Addendum #3			
	Cian	oturo Affidovit			
In signing this hid, we cortify the		ature Affidavit directly or indirectly, entered into any agreement or participated			
		raint of free competition; that no attempt has been made to			
		ubmit a bid; that this bid has been independently arrived at			
		potential competitor; that this bid has not been knowingly			
	of bids to any other bid	lder or competitor; that the above statement is accurate under			
penalty of perjury.					
		with all the terms, conditions, and specifications required by the attached bid and pricing are in conformity therewith.			
Signature:		Title:			
Printed Name:		Date:			

BID AND SPECIFICATION OVERVIEW

Dane County as represented by the Purchasing Division will accept bids for the purchase of specified item(s) as described within this document.

Specification Compliance: Bidder shall complete every space in the area provided with either a check mark to indicate the item being bid is exactly as specified **(Yes)**, or deviates from bid specification **(No)**. Any deviation from the minimum specifications stated herein must be identified in detail in the Specifications Deviations section of the bid and must include a description of how the proposed item(s) differ from the bid requirements, along with detailed justification for such deviation. Bidder shall include photos and schematics as necessary, for complete clarification.

The specifications below describe an acceptable product. Minor variations in specification may be accepted if, in the opinion of County staff, they do not adversely affect the quality, maintenance or performance of the item(s). Dane County reserves the right to accept or reject any and all bids, to waive informalities and to choose the bid that best meets the specifications and needs of the County.

BID SPECIFICATIONS Traveling Axle Trailer

#	Description		
1	Model	Spec Com	pliance
2	Landoll 440B-53 Galvanized	☐ YES	□NO
3	Capacity	Spec Com	pliance
4	Hauling Capcity:40 tons (80,000lbs)	☐ YES	□ NO
5	Deck Rating: 50,000lbs in 10 ft	☐ YES	□NO
8	Dimensions	Spec Com	pliance
9	Length: 53 ft	☐ YES	□NO
10	Width: 102ft	☐ YES	□NO
11	Heater/air conditioning	☐ YES	□NO
12	Loaded Deck Height: 37 in	☐ YES	□NO
13	Slope Drop: 90°	☐ YES	□NO
14	Loaded Ground Clearance: 14" at Bottom of Gooseneck	☐ YES	□ №
15	Load Angle: 6.5°	☐ YES	□NO
17	Trailer Construction	Spec Con	pliance
18	Decking: 1-3/8" Apitong Hardwood	☐ YES	□NO
19	Main Frame: Fabricated 80,000 and 100,000 PSI Yield, 40" Center, Four-Beam Design	☐ YES	□NO
20	Crossmembers: Alternating 4" and 3" Junior I-Beam on 8" Centers	☐ YES	□NO
21	Kingpin	Spec Com	pliance
22	Pin Setting: 21"	☐ YES	□NO
23	Swing Clearance: 80"	☐ YES	□NO
	Hitch: 5th-Wheel 2" Kingpin		
24	· · · · · · · · · · · · · · · · · · ·	☐ YES	
24 25	Winch	Spec Con	l
	5.		l
25	Winch	Spec Con	pliance
25 26	Winch 20,000 lb. winch	Spec Com	pliance
25 26 27	Winch 20,000 lb. winch Axles & Suspension	Spec Com YES Spec Com	pliance NO pliance
25 26 27 28	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack	Spec Com YES Spec Com YES	NO pliance NO NO NO
25 26 27 28 29	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack Adjusters	Spec Com YES Spec Com YES YES	NO pliance NO NO NO
25 26 27 28 29 30	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack Adjusters Brakes	Spec Com YES Spec Com YES YES Spec Com	npliance NO npliance NO NO npliance NO npliance
25 26 27 28 29 30 31	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack Adjusters Brakes 12.25×7.5 Full Air / Spring Brakes ABS, 4S2M	Spec Com YES Spec Com YES YES YES Spec Com YES	npliance NO npliance NO NO npliance NO npliance
25 26 27 28 29 30 31 32	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack Adjusters Brakes 12.25×7.5 Full Air / Spring Brakes ABS, 4S2M Hydraulics Hydraulic Hook Up: Quick Couplers 2,500 PSI – 20 GPM at Controls,	Spec Com YES Spec Com YES YES Spec Com YES Spec Com	npliance NO npliance NO NO npliance NO npliance NO npliance
25 26 27 28 29 30 31 32 33	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack Adjusters Brakes 12.25×7.5 Full Air / Spring Brakes ABS, 4S2M Hydraulics Hydraulics Hydraulic Hook Up: Quick Couplers 2,500 PSI – 20 GPM at Controls, 50 GPM Max	Spec Com YES Spec Com YES YES Spec Com YES Spec Com YES	npliance NO npliance NO npliance NO npliance NO npliance
25 26 27 28 29 30 31 32 33	Winch 20,000 lb. winch Axles & Suspension Neway Air Ride, 22,500 lb. Capacity (2) 25,000 lb. Axles, Dual Tire, Oil Bath Bearings, Automatic Slack Adjusters Brakes 12.25×7.5 Full Air / Spring Brakes ABS, 4S2M Hydraulics Hydraulic Hook Up: Quick Couplers 2,500 PSI – 20 GPM at Controls, 50 GPM Max Tilt Cylinders: (2) 6" x 30"	Spec Com YES Spec Com YES YES Spec Com YES Spec Com YES Spec Com YES	npliance NO npliance NO NO npliance NO npliance NO npliance NO npliance

Section 2 - Bid Specifications - Submit with Bid

38	Rims: 17.5×6.75 Tubeless Rims	☐ YES	□NO
39	Wheels: Hub Pilot / Steel Outboard Brake Drums	☐ YES	□NO
40	Oil Seal Hubs: Internal Mated Assembly	☐ YES	□NO
41	Cargo Control	Spec Com	pliance
42	Center keyhole tie downs, flush with wood	☐ YES	□NO
43	Landing Gear	Spec Com	pliance
44	Jost Two Speed Landing Gear	☐ YES	□NO
45	Toolbox	Spec Compliance	
46	Twin Upper Deck Mounted Top-Opening with Non-Weight Bearing Lid Illuminated	☐ YES	□NO
47	Electrical & Lighting	Spec Com	pliance
48	Air / Electrical: 7-Way Receptacle	☐ YES	□NO
49	Lights: Grote MicroNova LED Clear Lens-Enhanced Stop, Tail & Turn; Rear Amber Strobe	☐ YES	□NO
50	Wiring Harness: Grote "Xtreme" Wiring Harness	☐ YES	□ NO
51	Turn Signal: Center Mounted Turn Signal	☐ YES	□ NO
52	Additional Features	Spec Compliance	
53	Air / Electrical: 7-Way Receptacle	☐ YES	□NO
54	Lights: Grote MicroNova LED Clear Lens-Enhanced Stop, Tail & Turn; Rear Amber Strobe	☐ YES	□NO
55	Wiring Harness: Grote "Xtreme" Wiring Harness	☐ YES	□NO
56	Turn Signal: Center Mounted Turn Signal	☐ YES	□ NO
57	DELIVERY	Spec Com	pliance
58	Ability to deliver to Dredging Operation Building at 4318 Robertson Road Madison, WI 53718	☐ YES	□NO
59	Immediate availability of specified product	☐ YES	□NO

SPECIFICATION DEVIATIONS

Check One	:	
		deviations from bid specifications eviations from the bid specifications are present – see list below
<u>ltem #</u>		<u>Deviation Explanation</u>

PRICE PROPOSAL

VENDOR NAME:		

Pricing shall be inclusive of all labor and other expenses necessary to provide product in accordance with the specifications and terms and conditions of this bid document and your proposal.

#	Item	Pricing / Information
1	Landoll 440B-53 Galvanized in accordance with the specifications of this Request for Bid.	\$
2	Delivery Cost	\$
3	Warranty – describe the warranty that comes with the trailer. If additional space is needed, please attach the warranty info to the bid submission.	
4	Nearest Service/Parts Location	
5	Delivery Days ARO	

Optional Accessories			
6		\$	
7		\$	
8		\$	
9		\$	
10		\$	
11		\$	