

REQUEST FOR BID

Department of Administration Purchasing Division

Million				
COUNTY DEPT	Land & Water/Parks			
BID NUMBER	117049			
RFB TITLE	Chipper Truck – Single Axle			
PURPOSE	The purpose of this RFB is to solicit bids from responsive and responsible bidders to provide a single axle chipper truck in accordance with the specifications.			
DEADLINE FOR BID SUBMISSIONS	2:00 P.M. Central Time April 5, 2017 Late bids, faxed bid, electronic mail bids or unsigned bid will be rejected.			
SUBMIT BID TO THIS ADDRESS	DANE COUNTY PURCHASING DIVISION ROOM 425 CITY COUNTY BUILDING 210 MARTIN LUTHER KING JR BLVD MADISON, WI 53703-3345			
REQUIRED BID COPIES	Bidder	rs must submit (1) original and (1) copy		
PLEASE DIRECT	NAME	Pete Patten		
ALL INQUIRES TO	TITLE	Purchasing Agent		
	PHONE #	608-267-3523		
	FAX #	608-266-4425		
	EMAIL	patten.peter@countyofdane.com		
	WEB SITE	www.danepurchasing.com		
THIS RFB IS COMPRISED OF:		RESPONSE CHECKLIST:		
Part 1 – General Guidelines & Information		□ Signed Affidavit – Completed Bid Forms		
Part 2 – Bid Forms		□ Submit (1) original and one (1) copy		
Part 3 – Detailed Specifications Part 4 – Price Proposal		 Label the lower corner of the outermost envelope of your bid with the bid number. 		
DATE BID ISSUED: Marc	h 9. 2017			

Revised 11/2016

1. Introduction:

Dane County invites and will accept bids for item(s) outlined within this bid. The County as represented by Purchasing Division, intends to use the results of this process to purchase item(s).

2. Clarification/Questions:

Any questions concerning this Bid must be submitted in writing by mail, fax or email at least **FIVE WORKING DAYS** prior to the bid deadline. Requests submitted after that time **WILL NOT** be considered. All inquiries must be directed to the person indicated on the cover page.

3. Addendums:

In the event that it becomes necessary to provide additional clarifying data or information, or to revise any part of this RFB, revisions/amendments and/or supplements will be posted on the Purchasing Division web site at www.danepurchasing.com Bidders are reminded to regularly monitor the web site for any such postings. Bidders must acknowledge the receipt/review of any addendum(s) on the bottom of the Signature Affidavit.

The Purchasing Division has the sole authority for modifications of this specifications and or bid.

4. Vendor Registration Program:

All bidders wishing to submit a bid/proposal must be a paid registered vendor with Dane County. Prior to the bid opening, you can complete a registration form online by visiting our web site at www.danepurchasing.com or you can obtain a Vendor Registration Form by calling 608-266-4131. Your completed Vendor Registration Form and Registration Fee must be received for your bid to be considered for an award.

5. Acceptance:

Bid shall remain fixed and valid for acceptance for sixty (60) calendar days starting on the due date of the bid.

Dane County reserves the right to accept any part of this bid deemed to be in the best interest of the County. The County also retains the right to accept or reject any or all bids.

6. Pricing:

- The price quoted shall include all labor, materials, equipment, shipping, and other costs. If there is a freight or transportation increase prior to delivery of the unit, the additional increase must be at the dealer/manufacturer's expense.
- All prices, costs, and conditions outlined in the bid shall remain fixed.

State Sale Tax/Federal Excise Tax: Bids should not include Federal Excise and Wisconsin Sales Taxes, as Dane County is exempt from payment of such taxes. Sec. State Statute No. 77.54(9a). Wis. Stats. The Dane County's CES number is ES 41279.

7. Payment Terms And Invoicing:

Unless otherwise agreed, Dane County will pay properly submitted vendor invoices within thirty (30) days of receipt of goods or services, or combination of both. Payment will not be made until goods or services are delivered, installed (if required), and accepted as specified. Invoices presented for payment must be submitted in accordance with instructions contained on the purchase order.

NON-ALLOWED CHARGES. other incidental or standard industry charges not identified herein, are <u>not</u> allowed under this contract. Miscellaneous service charges used to help the Contractor pay various fluctuating current and future costs are not allowed. These include, but are not limited to, costs directly or indirectly related to the environment, energy issues, fuel charges, service and delivery of goods and services.

8. Award:

The County will award the bid to the responsive and responsible bidder whose bid is most advantageous to the County. In determining the most advantageous bid, the County will consider criteria such as, but not limited to, cost, bidder's past performance and/or service reputation, and service capability, quality of the bidder's staff or services, customer satisfaction, references, the extent to which the bidder's staff or services meet the County's needs, bidder's past relationship with the County, total long term cost to the County, fleet continuity and any other relevant criteria listed elsewhere in this solicitation. The County may opt to establish alternate selection criteria to protect its best interest or meet performance or operational standards.

Written notice of award to a vendor in the form of a purchase order or other document, mailed or delivered to the address shown on the bid will be considered sufficient notice of acceptance of bid.

This contract and any part thereof shall not be subcontracted or assigned to another Contractor without prior written permission of the County. The Contractor shall be directly responsible for any subcontractor's performance and work quality when used by the Contractor to carry out the scope of the job. Subcontractors must abide by all terms and conditions under this Contract

9. Permits & Licenses:

The Contractor selected under this bid shall be required to obtain the necessary permits and licenses prior to performing any work under this contract. The Contractor will be required to demonstrate valid possession of appropriate required licenses and will keep them in effect for the term of this contract.

Contractor must be financially responsible for obtaining all required permits and licenses to comply with pertinent regulations, municipal, county, State of Wisconsin and Federal laws, and shall assume liability for all applicable taxes.

10. Satisfactory Work:

Any work found to be in any way defective or unsatisfactory shall be corrected by the Contractor at its own expense at the order of the County. The County also reserves the right to contract out services not satisfactorily completed and to purchase substitute services elsewhere. The County reserves the right to charge the vendor with any or all costs incurred or retain/deduct the amount of such costs incurred from any monies due or which may become due under this contract.

11. Government Standards:

All materials, equipment, and supplies provided to the County must fully comply with all safety requirements as set forth by the Wisconsin Department of Commerce and all applicable OSHA Standards. Bidders shall comply with all local, state and federal regulations, directives and laws.

12. Warranty:

The length, time, and conditions of warranty must be attached to or stated in the bid document. The seller and/or manufacturer warrants that the goods sold hereunder will be merchantable quality, will conform to applicable specifications, and will be free from defects in material and workmanship and will be fit for the particular purpose intended.

Warranty does not commence until after the complete unit has been accepted and placed into service by the user agency.

Bidder shall indicate the name and the geographical location of the nearest authorized dealer to perform subsequent warranty service. This information shall be stated in the pricing section of bid or otherwise specified.

13. Dane County Sustainability Principles:

On October 18, 2012, the Dane County Board of Supervisors adopted Resolution 103, 2012-2013 establishing the following sustainability principles for the county:

- Reduce and eventually eliminate Dane County government's contribution to fossil fuel dependence and to wasteful use of scarce metals and minerals;
- Reduce and eventually eliminate Dane County government's contribution to dependence upon persistent chemicals and wasteful use of synthetic substances;
- Reduce and eventually eliminate Dane County government's contribution to encroachment upon nature and harm to life-sustaining ecosystems (e.g., land, water, wildlife, forest, soil, ecosystems); and
- Reduce and eventually eliminate Dane County government's contribution to conditions that undermine people's ability to meet their basic human needs.

STANDARD TERMS AND CONDITIONS

(Request For Bids/Proposals/Contracts)
Dane County Purchasing Division
Rev. 11/13

- 1.0 APPLICABILITY: The terms and conditions set forth in this document apply to Requests for Proposals (RFP), Bids and all other transactions whereby the County of Dane acquires goods or services, or both.
- 1.1 ENTIRE AGREEMENT: These Standard Terms and Conditions shall apply to any contract, including any purchase order, awarded as a result of this request. Special requirements of a resulting contract may also apply. Said written contract with referenced parts and attachments shall constitute the entire agreement, and no other terms and conditions in any document, acceptance, or acknowledgment shall be effective or binding unless expressly agreed to in writing by the County. Unless otherwise stated in the agreement, these standard terms conditions supersede any other terms and/or conditions applicable to this agreement.
- 1.2 DEFINITIONS: As used herein, "vendor" includes a provider of goods or services, or both, who is responding to an RFP or a bid, and "bid" includes a response to either an RFP or a bid.
- 2.0 SPECIFICATIONS: The specifications herein are the minimum acceptable. When specific manufacturer and model numbers are used, they are to establish a design, type of construction, quality, functional capability or performance level, or any combination thereof, desired. When alternates are proposed, they must be identified by manufacturer, stock number, and such other information necessary to establish equivalency. Dane County shall be the sole judge of equivalency. Vendors are cautioned to avoid proposing alternates to the specifications that may result in rejection of their bid.
- 3.0 DEVIATIONS AND EXCEPTIONS: Deviations and exceptions from terms, conditions, or specifications shall be described fully on the vendor's letterhead, signed, and attached to the bid. In the absence of such statement, the bid shall be accepted as in strict compliance with all terms, conditions, and specifications and vendor shall be held liable for injury resulting from any deviation.
- 4.0 QUALITY: Unless otherwise indicated in the request, all material shall be first quality. No pre-owned, obsolete, discontinued or defective materials may be used.
- 5.0 QUANTITIES: The quantities shown herein are based on estimated needs. The County reserves the right to increase or decrease quantities to meet actual needs.
- 6.0 DELIVERY: Deliveries shall be FOB destination freight prepaid and included unless otherwise specified. County will reject shipments sent C.O.D. or freight collect.
- 7.0 PRICING: Unit prices shown on the bid shall be the price per unit of sale as stated on the request or contract. For any given item, the quantity multiplied by the unit price shall establish the extended price, the unit price shall govern in the bid evaluation and contract administration.
- 7.1 Prices established in continuing agreements and term contracts may be lowered due to market conditions, but prices shall not be subject to increase for the term specified in the award. Vendor shall submit proposed increases to the contracting department thirty (30) calendar days before the

- proposed effective date of the price increase. Proposed increases shall be limited to fully documented cost increases to the vendor that are demonstrated to be industry wide. Price increases may not be granted unless they are expressed in bid documents and contracts or agreements.
- 7.2 Submission of a bid constitutes bidder's certification that no financial or personal relationship exists between the bidder and any county official or employee except as specially set forth in writing attached to and made a part of the bid. The successful bidder shall disclose any such relationship which develops during the term of the contract.
- 8.0 ACCEPTANCE-REJECTION: Dane County reserves the right to accept or reject any or all bids, to waive any technicality in any bid submitted and to accept any part of a bid as deemed to be in the best interests of the County. Submission of a proposal or a bid constitutes the making of an offer to contract and gives the County an option valid for 60 days after the date of submission to the County.
- 8.1 Bids **MUST** be dated and time stamped by the Dane County Purchasing Division Office on or before the date and time that the bid is due. Bids deposited or time stamped in another office will be rejected. Actual receipt in the office of the purchasing division is necessary; timely deposit in the mail system is not sufficient. THERE WILL BE NO EXCEPTIONS TO THIS POLICY.
- 9.0 METHOD OF AWARD: Award shall be made to the lowest responsible responsive vendor conforming to specifications, terms, and conditions, or to the most advantageous bid submitted to the County on a quality versus price basis.
- 10.0 ORDERING/ACCEPTANCE: Written notice of award to a vendor in the form of a purchase order or other document, mailed or delivered to the address shown on the bid will be considered sufficient notice of acceptance of bid. A formal contract containing all provisions of the contract signed by both parties shall be used when required by the Dane County Purchasing Division.
- 11.0 PAYMENT TERMS AND INVOICING: Unless otherwise agreed, Dane County will pay properly submitted vendor invoices within thirty (30) days of receipt of goods and services. Payment will not be made until goods or services are delivered, installed (if required), and accepted as specified. Invoices presented for payment must be submitted in accordance with instructions contained on the purchase order.
- 11.1 NO WAIVER OF DEFAULT: In no event shall the making of any payment or acceptance of any service or product required by this Agreement constitute or be construed as a waiver by County of any breach of the covenants of the Agreement or a waiver of any default of the successful vendor, and the making of any such payment or acceptance of any such service or product by County while any such default or breach shall exist shall in no way impair or prejudice the right of County with respect to recovery of damages or other remedy as a result of such breach or default.
- 12.0 TAXES: The County and its departments are exempt from payment of all federal tax and Wisconsin state and local

taxes on its purchases except Wisconsin excise taxes as described below. The State of Wisconsin Department of Revenue has issued tax exempt number ES41279 to Dane County.

- 12.1 The County is required to pay the Wisconsin excise or occupation tax on its purchase of beer, liquor, wine, cigarettes, tobacco products, motor vehicle fuel and general aviation fuel. The County is exempt from Wisconsin sales or use tax on these purchases. The County may be subject to other states' taxes on its purchases in that state depending on the laws of that state. Vendors performing construction activities are required to pay state use tax on the cost of materials.
- 13.0 GUARANTEED DELIVERY: Failure of the vendor to adhere to delivery schedules as specified or to promptly replace rejected materials shall render the vendor liable for all costs in excess of the contract price when alternate procurement is necessary. Excess costs shall include administrative costs.
- 14.0 APPLICABLE LAW AND VENUE: This contract shall be governed under the laws of the State of Wisconsin, and venue for any legal action between the parties shall be in Dane County Circuit Court. The vendor shall at all times comply with and observe all federal and state laws, local laws, ordinances, and regulations which are in effect during the period of this contract and which in any manner affect the work or its conduct.
- 15.0 ASSIGNMENT: No right or duty in whole or in part of the vendor under this contract may be assigned or delegated without the prior written consent of Dane County.
- NONDISCRIMINATION/AFFIRMATIVE ACTION: During the term of this Agreement the vendor agrees, in accordance with sec. 111.321, Wis. Stats., and Chapter 19 of the Dane County Code of Ordinances, not to discriminate against any person, whether an applicant or recipient of services, an employee or applicant for employment, on the basis of age, race, ethnicity, religion, color, gender, disability, marital status, sexual orientation, national origin, cultural differences, ancestry, physical appearance, arrest record or conviction record, military participation or membership in the national guard, state defense force or any other reserve component of the military forces of the United States, or political beliefs. The vendor shall provide a harassment-free work environment. These provisions shall include, but not be limited to, the following: employment, upgrading, demotion, transfer, recruitment, advertising, layoff, termination, training, including apprenticeships, rates of pay or other forms of compensation.
- 16.1 Vendors who have twenty (20) or more employees and a contract of twenty thousand dollars (\$20,000) or more must submit a written affirmative action plan to the County's Contract Compliance Officer within fifteen (15) working days of the effective date of the contract. The County may elect to accept a copy of the current affirmative action plan filed with and approved by a federal, state or local government unit.
- 16.2 The vendor agrees to post in conspicuous places, available for employees and applicants for employment, notices setting forth the provisions of this Agreement as they relate to affirmative action and nondiscrimination.
- 16.3 Failure to comply with these Terms and Conditions may result in the vendor being debarred, termination of the contract and/or withholding of payment.

- 16.4 The vendor agrees to furnish all information and reports required by Dane County's Contract Compliance Officer as the same relate to affirmative action and nondiscrimination, which may include any books, records, or accounts deemed appropriate to determine compliance with Chapter 19, D.C. Ords. and the provisions of this Agreement.
- 16.5 Americans with Disabilities Act: The vendor agrees to the requirements of the ADA, providing for physical and programmatic access to service delivery and treatment in all programs and activities.
- PATENT, COPYRIGHT 17.0 AND TRADEMARK INFRINGEMENT: The vendor guarantees goods sold to the County were manufactured or produced in accordance with applicable federal labor laws, and that the sale or use of the articles described herein do not infringe any patent, copyright or trademark. The vendor covenants that it will, at its own expense, defend every suit which shall be brought against the County (provided that such vendor is promptly notified of such suit, and all papers therein are delivered to it) for any alleged infringement of any patent, copyright or trademark by reason of the sale or use of such articles, and agrees that it will pay all costs, damages, and profits recoverable in any such suit.
- 18.0 SAFETY REQUIREMENTS: All materials, equipment, and supplies provided to the County must fully comply with all safety requirements as set forth by the Wisconsin Department of Commerce and all applicable OSHA Standards.
- 18.1 MATERIAL SAFETY DATA SHEET: If any item(s) on an order(s) resulting from this award(s) is a hazardous chemical, as defined under 29 CFR 1910.1200, provide one (1) copy of the Material Safety Data Sheet for each item with the shipped container(s) and one (1) copy with the invoice(s).
- 19.0 WARRANTY: Unless specifically expressed otherwise in writing, goods and equipment purchased as a result of this request shall be warranted against defects by the vendor for one (1) year from date of receipt. An equipment manufacturer's standard warranty shall apply as a minimum and must be honored by the vendor. The time limitation in this paragraph does not apply to the warranty provided in paragraph 27.0.

20.0 INDEMNIFICATION & INSURANCE.

- PROVIDER shall indemnify, hold harmless and defend COUNTY, its boards, commissions, agencies, officers, employees and representatives against any and all liability, loss (including, but not limited to, property damage, bodily injury and loss of life), damages, costs or expenses which COUNTY, its officers, employees, agencies, boards, commissions and representatives may sustain, incur or be required to pay by reason of PROVIDER furnishing the services or goods required to be provided under this Agreement, provided, however, that the provisions of this paragraph shall not apply to liabilities, losses, charges, costs, or expenses caused by or resulting from the acts or omissions of COUNTY, its agencies, boards, commissions, officers, employees or representatives. The obligations of PROVIDER under this paragraph shall survive the expiration or termination of this Agreement.
- 20.2. In order to protect itself and COUNTY, its officers, boards, commissions, agencies, agents, volunteers, employees and representatives under the indemnity provisions

of the subparagraph above, PROVIDER shall, at PROVIDER's own expense, obtain and at all times during the term of this Agreement keep in full force and effect the insurance coverages, limits, and endorsements listed below. When obtaining required insurance under this Agreement and otherwise, PROVIDER agrees to preserve COUNTY's subrogation rights in all such matters that may arise that are covered by PROVIDER's insurance. Neither these requirements nor the COUNTY's review or acceptance of PROVIDER's certificates of insurance is intended to limit or qualify the liabilities or obligations assumed by the PROVIDER under this Agreement. The County expressly reserves the right to require higher or lower insurance limits where County deems necessary.

20.2.1. Commercial General Liability.

PROVIDER agrees to maintain Commercial General Liability insurance at a limit of not less than \$1,000,000 per occurrence. Coverage shall include, but not be limited to, Bodily Injury and Property Damage to Third Parties, Contractual Liability, Personal Injury and Advertising Injury Liability, Premises-Operations, Independent PROVIDERs and Subcontractors, and Fire Legal Liability. The policy shall not exclude Explosion, Collapse, and Underground Property Damage Liability Coverage. The policy shall list DANE COUNTY as an Additional Insured.

- 20.2.2. Commercial/Business Automobile Liability. PROVIDER agrees to maintain Commercial/Business Automobile Liability insurance at a limit of not less than \$1,000,000 Each Occurrence. PROVIDER further agrees coverage shall include liability for Owned, Non-Owned & Hired automobiles. In the event PROVIDER does not own automobiles, PROVIDER agrees to maintain coverage for Hired & Non-Owned Auto Liability, which may be satisfied by way of endorsement to the Commercial General Liability policy or separate Business Auto Liability policy.
- 20.2.3. Environmental Impairment (Pollution) Liability PROVIDER agrees to maintain Environmental Impairment (Pollution) Liability insurance at a limit of not less than \$1,000,000 per occurrence for bodily injury, property damage, and environmental cleanup costs caused by pollution conditions, both sudden and non-sudden. This requirement can be satisfied by either a separate environmental liability policy or through a modification to the Commercial General Liability policy. Evidence of either must be provided.
- 20.2.4. Workers' Compensation. PROVIDER agrees to maintain Workers Compensation insurance at Wisconsin statutory limits.
- 20.2.5. Umbrella or Excess Liability. PROVIDER may satisfy the minimum liability limits required above for Commercial General Liability and Business Auto Liability under an Umbrella or Excess Liability policy. There is no minimum Per Occurrence limit of liability under the Umbrella or Excess Liability; however, the Annual Aggregate limit shall not be less than the highest "Each Occurrence" limit for the Commercial General Liability and Business Auto Liability. PROVIDER agrees to list DANE COUNTY as an "Additional Insured" on its Umbrella or Excess Liability policy.
- 20.3. Upon execution of this Agreement, PROVIDER shall furnish COUNTY with a Certificate of Insurance listing COUNTY as an additional insured and, upon request, certified copies of the required insurance policies. If PROVIDER's insurance is underwritten on a Claims-Made basis, the Retroactive Date shall be prior to or coincide with the date of

- this Agreement, the Certificate of Insurance shall state that professional malpractice or errors and omissions coverage, if the services being provided are professional services coverage is Claims-Made and indicate the Retroactive Date, PROVIDER shall maintain coverage for the duration of this Agreement and for six (6) years following the completion of this Agreement. PROVIDER shall furnish COUNTY, annually on the policy renewal date, a Certificate of Insurance as evidence of coverage. It is further agreed that PROVIDER shall furnish the COUNTY with a 30-day notice of aggregate erosion, in advance of the Retroactive Date, cancellation, or renewal. It is also agreed that on Claims-Made policies, either PROVIDER or COUNTY may invoke the tail option on behalf of the other party and that the Extended Reporting Period premium shall be paid by PROVIDER. In the event any action, suit or other proceeding is brought against COUNTY upon any matter herein indemnified against, COUNTY shall give reasonable notice thereof to PROVIDER and shall cooperate with PROVIDER's attorneys in the defense of the action, suit or other proceeding. PROVIDER shall furnish evidence of adequate Worker's Compensation Insurance. In case of any sublet of work under this Agreement, PROVIDER shall furnish evidence that each and every subcontractor has in force and effect insurance policies providing coverage identical to that required of PROVIDER. In case of any sublet of work under this Agreement, PROVIDER shall furnish evidence that each and every subcontractor has in force and effect insurance policies providing coverage identical to that required of PROVIDER.
- 20.4. The parties do hereby expressly agree that COUNTY, acting at its sole option and through its Risk Manager, may waive any and all requirements contained in this Agreement, such waiver to be in writing only. Such waiver may include or be limited to a reduction in the amount of coverage required above. The extent of waiver shall be determined solely by COUNTY's Risk Manager taking into account the nature of the work and other factors relevant to COUNTY's exposure, if any, under this Agreement.
- 21.0 CANCELLATION: County reserves the right to terminate any Agreement due to non-appropriation of funds or failure of performance by the vendor. This paragraph shall not relieve County of its responsibility to pay for services or goods provided or furnished to County prior to the effective date of termination.
- 22.0 PUBLIC RECORDS ACCESS: It is the intention of the County to maintain an open and public process in the solicitation, submission, review, and approval of procurement activities. Bid openings are public unless otherwise specified. Records are not available for public inspection prior to issuance of the notice of intent to award or the award of the contract. Bid results may be obtained by visiting the Dane County Purchasing Office Monday Friday, between 8:00 a.m. and 4:00 p.m. Prior appointment is advisable.
- 22.1 PROPRIETARY INFORMATION: If the vendor asserts any of its books and records of its business practices and other matters collectively constitute a trade secret as that term is defined in s. 134.90(1)(c), Wis. Stats., County will not release such records to the public without first notifying the vendor of the request for the records and affording the vendor an opportunity to challenge in a court of competent jurisdiction the requester's right to access such records. The entire burden of maintaining and defending the trade secret designation shall be upon the vendor. The vendor acknowledges and agrees that if the vendor shall fail, in a timely manner, to initiate legal action to defend the trade secret

designation or be unsuccessful in its defense of that designation, County shall be obligated to and will release the records.

- 22.2 Any material submitted by the vendor in response to this request that the vendor considers confidential and proprietary information and which vendor believes qualifies as a trade secret, as provided in section 19.36(5), Wis. Stats., must be identified on a designation of Confidential and Proprietary Information form. Pricing will not be held confidential after award of contract.
- 22.3 Data contained in a bid, all documentation provided therein, and innovations developed as a result of the contracted commodities or services cannot be copyrighted or patented. All data, documentation, and innovations shall be the property of the County.
- 23.0 RECYCLED MATERIALS: Dane County is required to purchase products incorporating recycled materials whenever technically and economically feasible. Vendors are encouraged to bid products with recycled content which meet specifications.
- 24.0 PROMOTIONAL ADVERTISING: Reference to or use of Dane County, any of its departments or sub-units, or any county official or employee for commercial promotion is prohibited.
- 25.0 ANTITRUST ASSIGNMENT: The vendor and the County of Dane recognize that in actual economic practice, overcharges resulting from antitrust violation are in fact usually borne by the Purchaser. Therefore, the successful vendor hereby assigns to the County of Dane any and all claims for such overcharges as to goods, materials or services purchased in connection with this contract.
- 26.0 RECORDKEEPING AND RECORD RETENTION-PUBLIC WORKS CONTRACTS: The successful bidder on a public works contract shall comply with the State of Wisconsin prevailing wage scale and shall establish and maintain adequate payroll records for all labor utilized as well as records for expenditures relating to all subcontracts, materialmen and suppliers. All records must be kept in accordance with generally accepted accounting procedures. The County shall have the right to audit, review, examine, copy, and transcribe any such records or documents. The vendor will retain all documents applicable to the contract for a period of not less than three (3) years after final payment is made.
- 26.1 RECORDKEEPING AND RECORD RETENTION-COST REIMBURSEMENT CONTRACTS: Where payment to the vendor is based on the vendor's costs, vendor shall establish and maintain adequate records of all expenditures incurred under the contract. All records must be kept in accordance with generally accepted accounting procedures. The County contracting agency shall have the right to audit, review, examine, copy, and transcribe any pertinent records or documents relating to any contract resulting from this bid/proposal held by the vendor. The vendor will retain all documents applicable to the contract for a period of not less than three (3) years after final payment is made.

- 27.0 LIVING WAGE REQUIREMENT: The vendor shall, where appropriate, comply with the County's Living Wage requirements as set forth in section 25.015, Dane County Ordinances.
- 27.01 In the event its payroll records contain any false, misleading or fraudulent information, or if the vendor fails to comply with the provisions of s. 25.015, D.C. Ords., the County may withhold payments on the contract, terminate, cancel or suspend the contract in whole or in part, or, after a due process hearing, deny the vendor the right to participate in bidding on future County contracts for a period of one (1) year after the first violation is found and for a period of three (3) years after a second violation is found.

27.02 Bidders are exempt from the requirement of this section if:

- The maximum value of services to be provided is less than \$5,000:
- The bid involves only the sale of goods to the County;
- The bid is for professional services;
- The bid is for a public works contract where wages are regulated under s. 62.293, Wis. Stats.;
- The bidder is a school district, a municipality, or other unit of government;
- The service to be provided is residential services at an established per bed rate;
- The bidder's employees are persons with disabilities working in employment programs and the successful bidder holds a current sub-minimum wage certificate issued by the U.S. Department of Labor or where such a certificate could be issued but for the fact that the employer is paying a wage higher than the minimum wage:
- The bidder is an individual providing services to a family member: or
- The bidder's employees are student interns.

27.03 COMPLIANCE WITH FAIR LABOR STANDARDS. During the term of this Agreement, PROVIDER shall report to the County Contract Compliance Officer, within ten (10) days, any allegations to, or findings by the National Labor Relations Board (NLRB) or Wisconsin Employment Relations commission (WERC) that PROVIDER has violated a statute or regulation regarding labor standards or relations within the seven years prior to entering this Agreement. If an investigation by the Contract Compliance Officer results in a final determination that the matter adversely affects PROVIDER'S responsibilities under this Agreement, and which recommends termination, suspension or cancellation of this agreement, the County may take such action.

27.04 PROVIDER may appeal any adverse finding by the Contract Compliance Officer as set forth in sec. 25.015(11)(c) through (e).

27.05 PROVIDER shall post the following statement in a prominent place visible to employees: "As a condition of receiving and maintaining a contract with Dane County, this employer shall comply with federal, state and all other applicable laws prohibiting retaliation for union organizing."

				_	
			COVER PAG RE AFFIDA\		
COMPANY NAME:					
agreement or participal competition; that no at to submit a bid; that the bidder, competitor or participal competition.	ted in ar tempt ha is bid has otential o any othe	y collusion or s been made s been indepe competitor; the	otherwise taken to induce any ot endently arrived a at this bid has no	ctly or indirectly, entered into a any action in restraint of free her person or firm to submit or ret without collusion with any oth to been knowingly disclosed pricabove statement is accurate	not er
	by the C	county in this		ne terms, conditions, and and declares that the attached	bid
Signature			_	Title	
Name (type or print)			_	Date	
ADDRESS:					
CITY:			COUNTY:		
STATE:			ZIP+4:		
TEL:		TOLL FREE	TEL:	FAX:	
2. Contact person	n in the	event there	are questions	about your bid/proposal:	
NAME			TITLE:		
TEL			TOLL FREE TEL		
FAX			E-MAIL		

□ Addendums -This firm herby acknowledges receipt / review of the following addendum(s) (If any)

Addendum #_____Addendum #_____Addendum #_____

VENDOR REGISTRATION CERTIFICATION

Per Dane County Ordinance, Section 62.15, "Any person desiring to bid on any county contract must register with the purchasing manager and pay an annual registration fee of \$20."

Your completed Vendor Registration Form and Registration Fee must be received for your bid to be considered for an award. Your bid/proposal may not be evaluated for failure to comply with this provision.

For Non-Registered Vendors:

Complete a registration form online by visiting our web site at www.danepurchasing.com. You will prompted to create an account and complete the registration which includes paying the annual registration fee of \$20. You will receive an email confirmation once your account is created and again when your vendor registration is complete. Retain your user name/email address and password for ease of re-registration in future years. Within 2-4 days of completing the registration, a vendor number will be assigned and emailed to you.

For Registered Vendors:

If you are submitted a bid or proposal, check to make sure your vendor information and annual registration fee is up-to-date.

Payment may be made via credit card on-line or by check in the mail or in person at the Purchasing Division office. If paying by check make check payable to Dane County Treasurer and indicate your federal identification number (FIN) on the subject line. Once paid, the annual registration fee is valid for one year.

CERTIFICATION

The undersigned, for and on behalf of the **PROPOSER, BIDDER OR APPLICANT** named herein, certifies as follows:

and conditions.	
Vendor Number #	Date Last Paid:
Date Signed:	Officer or Authorized Agent
	Business Name

This firm is a paid, registered vendor with Dane County in accordance with the bid terms

LOCAL CONTENT VENDOR AFFIDAVIT

Under Dane County's purchasing ordinance, bidders offering goods made in Dane County, its surrounding counties, or the State of Wisconsin receive a price preference on sealed bid solicitations. Bids are first evaluated to determine if any bidders are offering products that qualify as Dane County-Made Goods, Regionally-Made Goods, or Wisconsin-Made Goods.

A bidder offering Dane County-Made Goods will be considered the successful bidder if their price is up to 15% higher than the low bid for goods that are not Dane County-Made Goods. If no vendors meet this criteria, then the county will determine if any bidder is offering Regionally-Made Goods. If so, then such a bidder will be considered successful if their price is up to 12.5% higher than the low bid for goods that are not Regionally-Made Goods. If no vendors meet this criteria, then the county will determine if any bidder is offering Wisconsin-Made Goods. If so, the such bidder will be considered successful if their price is up to 10% higher than the low bid for goods that are not Wisconsin-Made Goods. If no vendors are offering Dane County-Made, Regionally-Made, or Wisconsin-Made Goods, then the county will evaluate the low bid without regard to the content of the goods.

I swear that the following is true and correct:

Name (type or print)	Company Name
Signature	Date
The goods offered under this bid do not qualif Wisconsin-Made goods.	fy as Dane County-Made, Regionally-Made or
 Over 50% of the total cost of its compone 	oduced or grown in the State of Wisconsin and; ents are made in the State of Wisconsin. eve, means and article, material, or supply
 Dane, Columbia, Dodge, Green, Iowa, Je Over 50% of the total cost of its compone Dane, Columbia, Dodge, Green, Iowa, Je 	oduced or grown in one of the following counties: offerson, Rock, or Sauk and; onts are made in one of the following counties: offerson, Rock, or Sauk. ove, means and article, material, or supply
 The goods offered under this bid are <u>Dane Co</u> An article that is manufactured, mined, pr Over 50% of the total cost of its compone "Component", as referenced above incorporated directly into a finished 	oduced or grown in Dane County and; ents are made in Dane County. ve, means and article, material, or supply
Based on the definition included with each category b any of the three categories under the County's ordina	

LOCAL VENDOR AFFIDAVIT

Under Dane County Ordinance, a Regionally-Based Vendor, Local Vendor, or Non-Local Vendor may be invited to match the low bid if the low bid is offered by a vendor that is not identified as a Regionally-Based Vendor, Local Vendor, or Non-Local Vendor according to Dane County Ordinance requirements.

Locally Based and Owned Vendor requirements:

- Your business or corporate headquarters is physically located in Dane County and;
- Your business owners or shareholders totaling more than 50% of ownership live in Dane County <u>and</u>;
- Your business is registered and authorized to do business in the State of Wisconsin.

Does your business meet all 3 Locally Based and Owned Vendor requirements?
YES NO
If YES, your business is considered a Locally Based and Owned Vendor. Continue to the next
page and checkmark Locally Based and Owned Vendor.
If NO, proceed to the Locally Operated Vendor section below.

Locally Operated Vendor requirements:

- Your business is registered and authorized to do business in the State of Wisconsin and;
- Your business has an established place of business within Dane County.
 - An established place of business means a physical office, plant or other facility.
 - A post office box address does not qualify a vendor as a Locally Operated Vendor.

Does your business meet both Locally Operated Vendor requirements? YES NO
If YES, your business is considered a Locally Operated Vendor. Continue to the next page and checkmark Locally Operated Vendor.
If NO, proceed to the Non-Locally Operated Vendor section below.

Non-Locally Operated Vendor requirements:

- Our business has an established place of business in one of the following Wisconsin Counties: Columbia, Dodge, Green, Iowa, Jefferson, Rock, or Sauk.
 - o An established place of business means a physical office, plant or other facility.
 - A post office box address does not qualify a vendor as a Non-Locally Operated Vendor.

I swear that the following is true and correct:

	This bid is submitted from a Locally B	Based and Owned Vendor.
	This bid is submitted from a Locally C	Operated Vendor.
	This bid is submitted from a Non-Loc	ally Operated Vendor.
This bid is submitted from a vendor that		hat does not meet any of the criteria above.
	Signature	Date
	Name (type or print)	Company Name
This ad	dress will be used to verify the loc	cal purchasing preference indicated above.
ADDRES	SS:	
CITY:		COUNTY:
STATE:		7IP+4·

Order of Events:

1. Locally Based and Owned Vendors:

- 1. When bids are reviewed, the County will determine if a Locally Based and Owned Vendor responding to the bid is the low bidder. If a Locally Based and Owned Vendor is the low bidder, they will be awarded the bid.
- 2. If a Locally Based and Owned Vendor is not the low bidder but is within 15% of the low bid, the County will contact the Locally Based and Owned Vendor and provide that vendor the option of matching the low bid price.
- 3. If no Locally Based and Owned Vendors are among the responding bidders, or the Locally Based and Owned Vendor declines to match the low bid, then the County will determine if a Locally Operated Vendor has responded to the bid.

2. Locally Operated Vendors:

- 4. If a Locally Operated Vendor is within 10% of the low bid, the County will contact the Locally Operated Vendor and provide that vendor the option of matching the low bid price.
- If no Locally Operated Vendors are among the responding bidders, or the Locally Operated Vendor declines to match the low bid, then the County will determine if a Non-Locally Operated Vendor has responded to the bid.

3. Non-Locally Operated Vendors:

- 6. If a Non-Locally Operated Vendor is within 5% of the low bid, the County will contact the Non-Locally Operated Vendor and provide that vendor the option of matching the low bid price.
- 7. If no Non-Locally Operated Vendors are among the responding bidders, or the Non-Locally Operated Vendor declines to match the low bid, then the County will award the bid to the low bidder without regard to the location of the vendor.

FAIR LABOR PRACTICES CERTIFICATION Dane County Ordinance 25.11(28)

The undersigned, for and on behalf of the PROPOSER, BIDDER OR APPLICANT named herein, certifies as follows:

1. That he or she is an officer or duly authorized agent of the above-referenced PROPOSER, BIDDER OR APPLLICANT, which has a submitted a proposal, bid or application for a contract with the county of Dane.

2. That PROPOSER, BIDDER OF	RAPPLLICANT has. (Check One)
Employment Relations Commission	tional Labor Relations Board ("NLRB") or the Wisconsin ("WERC") to have violated any statute or regulation regarding even years prior to the date this Certification is signed.
Relations Commission ("WERC") to	al Labor Relations Board ("NLRB") or the Wisconsin Employmen have violated any statute or regulation regarding labor standards to the date this Certification is signed
Date Signed:	Officer or Authorized Agent
	Business Name

NOTE: You can find information regarding the violations described above at: www.nlrb.gov and http://werc.wi.gov.

For Reference Dane County Ord. 28.11 (28) is as follows:

That DDODOCED DIDDED OD ADDI LICANT has: (Charle One)

(28) BIDDER RESPONSIBILITY. (a) Any bid, application or proposal for any contract with the county, including public works contracts regulated under chapter 40, shall include a certification indicating whether the bidder has been found by the National Labor Relations Board (NLRB) or the Wisconsin Employment Relations Committee (WERC) to have violated any statute or regulation regarding labor standards or relations within the last seven years. The purchasing manager shall investigate any such finding and make a recommendation to the committee, which shall determine whether the conduct resulting in the finding affects the bidder's responsibility to perform the contract.

If you indicated that you have been found by the NLRB or WERC to have such a violation, you must include a copy of any relevant information regarding such violation with your proposal, bid or application.

SPECIFICATIONS OVERVIEW

Dane County as represented by the Purchasing Division will accept bids for the purchase of specified item(s) as described further in this document.

The intended user agency is: Dane County Land and Water/Parks

Bidder shall complete every space in the area provided with either a check mark to indicate the item being bid is exactly as specified **(Yes)**, or deviates from bid specification **(No)**. Any deviation from the minimum specifications stated herein must be identified in detail on the form provided and must include a description of how the proposed item/s differ from the bid requirements, along with detailed justification for such deviation. Bidder shall include photos and schematics as necessary, for complete clarification.

The specifications below describe an acceptable unit(s) /item(s). Minor variations in specification may be accepted if, in the opinion of County staff, they do not adversely affect the quality, maintenance or performance of the item(s). Dane County reserves the right to accept or reject any and all bids, to waive informalities and to choose the bid that best meets the specifications and needs of the County.

SINGLE AXLE CHIPPER TRUCK SPECIFICATIONS

#	Description	Spec Cor	npliance
	GENERAL TRUCK SERVICES	Yes	No
1	New 2017/2018 4x2 day cab		
2	Dump chipper body		
3	Truck/trailer configuration		
4	Front axle load capacity 12,000 lb. Minimum		
5	Rear axle load capacity 23,000 lb. Minimum		
6	Gross combination weight 65,000 lb.		
7	Road speed 70 MPH.		
	TRACTOR SERVICE	Yes	No
8	Single trailer		
9	Trailer towing package		
10	Air service for trailer on rear of truck		
	ENGINE	Yes	No
11	Diesel fuel		
12	Minimum performance of a 11 L, 395 HP @1450-1700 RPM, 1560 LB-FT		
	ENGINE EQUIPMENT	Yes	No
13	Bug screen mounted behind grill		
14	Drain valve on oil pan		
15	Engine mounted oil check and fill		
16	Air cleaner under hood, single element with air cleaner restriction gauge, air cleaner mounted		
17	Alternator minimum 12V 130 amp		
18	Three (3) maintenance free 12V batteries with a 1950 CCA total		
19	Steel battery box mounted on the outside of frame behind the cab, painted black		
20	Positive and negative post for jump start located on frame next to the starter or near battery box		
21	Air conditioning with integral heater and defroster		
22	Heater hoses EPDM, hose clamps constant tension, refrigerant hydro fluorocarbon HFL-134A		
23	Automatic cold starting equipment with engine ECM control		
24	Block heater with plug in under drivers door 120V		
25	Air compressor minimum 16.5 CFM capacity		
26	Compression brake with mode selector and an on/off switch in cab dash		

#	Description	Spec Cor	npliance
	ENGINE EQUIPMENT (continued)	Yes	No
27	2017 compliant after treatment system frame mounted right side under cab, includes single vertical tailpipe, frame mounted right side of cab, bright finish with aluminum heat shields		
28	Automatic over the road regeneration and dash mounted regeneration and dash mounted regeneration request switch		
29	Exhaust pipe minimum 9'6" in length bright in finish with aluminum heat shields, cab mounted		
30	Minimum 6 Gal. Diesel exhaust fluid tank, cap mounted on left frame to the rear of fuel tank bright in finish with stainless steel straps		
31	Standard diesel exhaust fluid pump mounting		
32	Engine mounted fuel filter/fuel water separator with water in fuel indicator on dash		
33	Full flow oil filter		
34	Coolant filter, engine mounted		
35	Minimum 1500 square inch aluminum radiator 3 core LTR to meet engines max power		
36	Anti freeze to -34 degrees F		
37	Silicone radiator hoses		
38	Constant tension hose clamps for coolant hoses		
39	Engine fan		
40	12V starter with over crank protection		
	TRANSMISSION/EQUIPMENT	Yes	No
41	Allison 4500_RDS_P 5th generation controls wide ratio, 6 speed, with double overdrive, on/off highway, includes oil level sensor, with PTO provision, less retarder		
42	Shift control parameters, Allison S-L performance programming in primary and Allison fixed programming in secondary		
43	Remote mounted transmission spin on filter		
44	Oil cooler, auto transmission, water to oil for Allison transmission		
45	Synthetic transmission oil		
46	Allison spare input/output for rugged duty series		
47	Transmission TCM located in cab		
48	Transmission T-Handle control mounted in cab (optional)		

#	Description	Spec Con	npliance
	FRONT AXLE/EQUIPMENT	Yes	No
49	12,000 lb. Minimum		
50	Front brake, air cam 16.5"x5" includes 24 sq. inch long stroke brake chambers		
51	Non-asbestos front brake drums		
52	Cast iron front brake drums		
53	Front hub oil seal		
54	Brake lines colored and size coded nylon		
55	Front brake dust shields		
56	Automatic front slack adjusters		
57	Standard spindle nuts for all axles		
58	Power steering with pump		
59	Power steering reservoir/power steering gear dual power		
60	Oil/air power steering cooler		
	FRONT SUSPENSION	Yes	No
61	Parabolic/taper leaf		
62	Spring pins rubber bushings, maintenance free		
	REAR AXLE/EQUIPMENT	Yes	No
63	Single 23,000 lb.		
64	Driver controlled locking differential in forward rear (electronic over air operated, cab control with indicator light)		
65	Rear axle drain plug magnetic		
66	Rear brakes air cams 16.5"x 7" includes 30/30 sq. inches long stroke		
67	Brake chamber and spring actuated parking brake		
68	Brake lines colored and size coded nylon		
69	Rear brake dust shields		
70	Automatic slack adjusters on all rear brakes		
	REAR SUSPENSION	Yes	No
71	Air ride 23,000 lb. Capacity 9.0" ride height, with shock absorbers mounted in standard location		
72	Manual dump valve for air suspension mounted in the cab near the driver		
73	Air suspension gauge mounted on dash cluster		

#	Description	Spec Compliance	
	BRAKE SYSTEM	Yes	No
74	Air dryer (Meritor Wabco System Saver 1200) With heater mounted on inside left rail back of cab		
75	Air brake ABS full vehicle wheel control system without automatic traction control		
76	Drain valves petcocks for all air tanks (twist type)		
77	Air pressure gauge air 1 and air 2 located on instrument cluster		
78	Brake system control valve system, (2) valve dual brake system-trailer supply and tractor trailer park		
79	Quick release valve Bendix on rear axle for spring brake 1 for 4x2		
80	Hand control valve for trailer brakes		
81	Air reservoirs, steel, painted black mounted on inside frame rail under cab		
	TRAILER CONNECTIONS	Yes	No
82	Tail light wiring modified- includes wiring for standard left/right tail lights, separate 8' of extra cable wiring for left and right body mounted tail lights		
	WHEEL	Yes	No
83	Tandem single, heat treated alloy steel 10.866"x3.54"x0.433" (120,000 psi yield) frame RBM 2,500,000 lbsin minimum		
84	Wheel base TBD at time of order based on body specifications		
	CHASSIS EQUIPMENT	Yes	No
85	Front bumper full width aerodynamic bright in finish		
86	Two (2) frame mounted tow hooks out the front of chassis		
87	Minimum 88 gallon fuel tank non polished aluminum mounted on left side under cab		
88	Bright finish stainless steel fuel tank straps		
89	Fuel/water separator with 12V electric heater		
90	Bolt on fender extensions		
91	Left hand and right hand grab handles mounted on cab behind doors bright in finish		
92	Grille stationary, with surround, bright in finish		
93	Insulation, under hood for sound abatement		
94	Insulation, splash panel for sound abatement		
95	Tilting, fiberglass hood		
96	Two single tone air horns mounted on roof of cab with snow shields, bright in finish with pull lanyard in cab on drivers side		
97	Single electric horn in the steering column		
98	Back up alarm electric minimum 102 DBA variable self adjusting		
99	Headlight, long life halogen for two light system with day time running lights		

#	Description Spec Compl		npliance
	CHASSIS EQUIPMENT (continued)	Yes	No
100	Clearance/marker lights (5) amber LED lights, flush mounted on cab visor		
101	Turn signals front includes reflectors and auxiliary side turn signals, solid state flashers flush mounted		
102	Windshield wipers, single motor, electric cowl mounted		
103	Windshield washer reservoir frame mounted		
104	Mirrors two(2) 7.09"x15.75" & integral convex both sides		
105	Mirrors 102" inside spacing, breakaway type, heated heads thermostatically controlled, power both sides, clearance lights LED on back side of mirrors, bright in finish heads & brackets(Lang Mekra style or equivalent) mounted on cab doors, Tube style for wiring to be ran through		
106	Cab rear suspension air bag type		
107	Rear license plate mounted end of frame		
	ELECTRIC SYSTEM	Yes	No
108	Heavy duty flasher/LED compatible		
109	12V standard equipment		
110	Data link connector for vehicle programming and diagnostics in cab		
111	Circuit breakers, manual-resets (main panel) SAE type 3 with trip indicators, replaces all fusses except for 5 amp fuses		
112	OBD compliance (On board diagnostics)		
113	Chassis wiring color coded and continuously numbered		
114	Body builder wiring, back of standard cab at left frame or under extended or crew cab at left frame, includes sealed connectors for tail/amber turn and marker/back up, accessory power, grounded and sealed connector for stop and turn		
	САВ	Yes	No
115	Conventional		
116	Tilting and telescoping steering column		
117	18" steering wheel		
118	Head light dimmer switch integral with turn signal lever		
119	Parking lights integral with front turn signal and rear tail light		
120	Starter switch electric, key operated with the same key for the cab doors		
121	Turn signal switch self cancelling for trucks with lane change feature		
122	Windshield wiper switch two (2) speed with wash and intermittent feature (5 preset delays), integral with turn signal switch		
123	Cigar lighter		
124	Radio Am/FM Includes multiple speaker, auxiliary input and Bluetooth		

#	Description	Spec Compliance	
	CAB (continued)	Yes	No
125	Windshield to be one piece		
126	Speakers in cab two (2) dual cone with deluxe interior		
127	Four (4) extra accessories switches in cab dash		
128	Speakers in cab four (4) coaxial with premium interior		
129	Cab coat hook located on back wall		
130	Two (2) cup holders located near driver area		
131	Dome light, door activated and push on-off at light lens or by switch mounted on dash		
132	All glass windows tinted		
133	Four (4) steps, two (2) per door bright in finish		
134	Gauge cluster to include engine oil pressure (electronic), water temperature(electronic), fuel(electronic), tachometer(electronic) voltmeter		
135	Odometer display, miles, trip miles, engine hours, trip hours, fault code readout		
136	Warning system- low fuel, low oil pressure, high engine coolant temperature, and low battery voltage (visual and audible)		
137	Allison transmission oil temperature gauge mounted on dash cluster		
138	Passenger and driver seats air suspension, high back with integral head rest, cloth isolated one (1) chamber lumbar, two(2) position front cushion adjust -3 to +14 degree back angle adjust		
139	Arm rest right for driver, arm rest left for passenger		
140	Power windows and door locks left and right doors		
141	HVAC fresh air filter		
142	Cab sound insulation includes dash insulator and engine cover insulator, premium floor mat, and sound dampening patches		
143	Over head counsel molded plastic with dual storage pockets with retainer nuts, CB radio pocket with cover, speakers and lights		
144	Two (2) courtesy lights mounted in front by map pockets left and right side doors		
145	Temperature gauge/compass ambient includes wiring and sensor with display unit mounted in dash cluster		
146	Storage pocket door two (2) molded plastic (carpet texture) drivers and passengers door		
147	Two (2) sun visors padded vinyl moveable front to side		
148	Heater, defroster and air conditioner		
149	Cruise control		
150	Rap around counsel		
151	Exterior visor with LED Lights mounded flush bright in finish		

#	Description	Spec Compliance	
	TIRES/WHEELS	Yes	No
152	Two (2) front wheels - 22.5"x8.25" Alcoa LVL one aluminum disc 10-hole stud, hub piloted with steel hubs		
153	Four (4) rear wheel disc 22.5"x 8.25" Alcoa LVL one aluminum disc 10-hole hub piloted (11 1/4" 286mm bolt circle) with steel hubs		
154	Front tires -two(2) 11R22.5 H Bridgestone R283A Ecopia		
155	Rear tires- four (4) 295/75R22.5 G Bridgestone R283A Ecopia		
156	Rear tire air pressure access to outside tire, driver and passenger sides		
	PAINT	Yes	No
157	Design- One color solid color		
158	Cab and chipper body color woodland green. Cab schematic 100GS Location 1:524		
	WARRANTY	Yes	No
159	Equivalent to or greater-extended engine 60 month/250,000 mile unlimited engine hrs., includes engine, engine electronics, turbo charger, water pump, and fuel injectors, for the engine specified		
160	Equivalent to or greater-extended after treatment-60 month/250,000 miles, unlimited hours, coverage for after treatment specified		
161	One (1) extra copy of wiring schematic, operators manual and scheduled maintenance manual		
162	One (1) extra copy of repair manual		

CHIPPER BODY SPECIFICATIONS

OVERALL BODY DIMENSIONS	#	Description Spec Complia		mpliance
ELECTRICAL Yes No		OVERALL BODY DIMENSIONS	Yes	No
ELECTRICAL All wiring to be double jacketed with ethylene-propylene in additions to outdoor cable and in conduit Electrical junction boxes 100% sealed with epoxy and weather pack connectors All bulbs and electrical plugs to be coated with dialectical grease Stop, turn, tails, marker lights and reverse lights to be LED to meet FMVSS 108 Two (2) LED strobes flush mounted In rear corners post of the body one on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) 176 Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights 177 Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	163	Length: 168", height: 72", width: 96"		
All wiring to be double jacketed with ethylene-propylene in additions to outdoor cable and in conduit Electrical junction boxes 100% sealed with epoxy and weather pack connectors All bulbs and electrical plugs to be coated with dialectical grease Stop, turn, tails, marker lights and reverse lights to be LED to meet FMVSS 108 Two (2) LED strobes flush mounted In rear corners post of the body one on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All AdO material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	164	20 Cubic Yards.		
outdoor cable and in conduit Electrical junction boxes 100% sealed with epoxy and weather pack connectors All bulbs and electrical plugs to be coated with dialectical grease Stop, turn, tails, marker lights and reverse lights to be LED to meet FMVSS 108 Two (2) LED strobes flush mounted In rear corners post of the body one on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No REAR HITCH Yes No Tyo (2) D-rings welded on each side of the pintle hitch for safety chains Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights All AdO material (Zinc coated, resists rust) Tyo Sides to be fixed and non removable, smooth Two (2) anti-sail mud flaps Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit		ELECTRICAL	Yes	No
connectors All bulbs and electrical plugs to be coated with dialectical grease Stop, turn, tails, marker lights and reverse lights to be LED to meet FMVSS 108 Two (2) LED strobes flush mounted In rear corners post of the body one on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE 1560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth Two (2) anti-sail mud flaps Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	165			
Two (2) LED strobes flush mounted In rear corners post of the body one on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) 176 Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic noist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	166			
Two (2) LED strobes flush mounted In rear corners post of the body one on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	167	All bulbs and electrical plugs to be coated with dialectical grease		
on driver side and one on passenger side operated by switch in dash cluster Primary connector/receptacle wired for separate stop/turn, center pin powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) 176 Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights 177 Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	168	· · · · · · · · · · · · · · · · · · ·		
170 powered through ignition SAE J560 6 way primary trailer cable receptacle mounted on hitch plate Two (2) Low profile (4") strobe lights mounted to right and left cab door mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Yes No 172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	169	on driver side and one on passenger side operated by switch in dash		
mirrors, wired to a lighted switch in instrument cluster, with the wire fed through the mirror tubing on doors REAR HITCH Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch Two (2) D-rings welded on each side of the pintle hitch for safety chains Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	170	powered through ignition SAE J560 6 way primary trailer cable		
172 Rear Hitch plate 3/4" thick 173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) 176 Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights 177 Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	171	mirrors, wired to a lighted switch in instrument cluster, with the wire		
173 30 Ton (60,000 lb.) swivel pintle hitch 174 Two (2) D-rings welded on each side of the pintle hitch for safety chains 175 Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) 176 Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights 177 Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit		REAR HITCH	Yes	No
Two (2) D-rings welded on each side of the pintle hitch for safety chains Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	172	Rear Hitch plate 3/4" thick		
Air brake glad hands for trailer mounted one on each side of the frame (up out of the way for dumping) Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	173	30 Ton (60,000 lb.) swivel pintle hitch		
176 Round 6 pin female plug mounted in rear hitch plate (flush) for trailer lights 177 Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights 178 GENERAL 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	174	Two (2) D-rings welded on each side of the pintle hitch for safety chains		
Iights Round 7 pin female plug mounted in rear hitch plate (flush) for trailer lights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	175			
Iights GENERAL Yes No 178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	176			
178 All A40 material (Zinc coated, resists rust) 179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	177			
179 Sides to be fixed and non removable, smooth 180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit		GENERAL	Yes	No
180 Two (2) anti-sail mud flaps 181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	178	All A40 material (Zinc coated, resists rust)		
181 Hydraulic hoist with power take off 182 Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	179	Sides to be fixed and non removable, smooth		
Hydraulic reservoir with sight glass and shall be equipped with an electronic oil level and temperature sending unit	180	Two (2) anti-sail mud flaps		
electronic oil level and temperature sending unit	181	Hydraulic hoist with power take off		
183 Safety body prop two (2)	182	, , , , , , , , , , , , , , , , , , , ,		
	183	Safety body prop two (2)		

#	Description	Spec Compliance	
	GENERAL (continued)	Yes	No
184	Bodies: mounted, undercoated, coal tar epoxy coating inside chip box, primed and painted to match chassis		
185	Rear cable step and grab handle to be installed curbside rear of body		
186	Chipper air exhaust vents		
187	Electric trailer brake control mounted in cab wired to the A/S pin		
	CHIP BOX MATERIAL	Yes	No
188	Floor: 3/16" Plate with cross sills on 12" centers		
189	Sides:(stationary) Smooth, 10 Ga. Plate with tubing top rail 42" High		
190	Top: (Removable) 11' long x 30" tall x 96" wide 4 Ga. Plate, with four (4) corner lifting eyes		
191	Head board: (stationary) 12 Ga. Plate		
192	Tailgate: (270 swing) Solid metal 2 doors with tubing frame (double paneled) 30" high		
193	Runners: 8" structural channel		
194	Cross members: 3" structural channel		
195	Side vertical supports: 3"x3" sq. structural tubing		
	OPTIONS – write in any additional options to be considered	CO	ST
196	Tool box that is 31" long x 20" high x 21" mounted on the side of the frame rails under body	\$	
197	Two (2) wheel chock holders mounted under body on driver side	\$	
198	Cone holder mounted under body	\$	
199	Rake, broom, and shovel holders mounted on head board of body between cab and the body	\$	
200		\$	
201		\$	
202		\$	
203		\$	
204		\$	

^{*}See next page for Deviations section

Specification Deviations

Check One: ☐ Deviations – No deviations from specs ☐ Deviations – See list below			
Item #	Deviation Explanation		

PRICE PROPOSAL		
NAME OF COMPANY:		

For the price(s) listed below, our company hereby offers to provide the following item(s) in accordance with the specifications of this bid. Pricing must include delivery.

New Single Axle Truck with Chipper Body

5				
Year / Make / Mode	el:			
Deviations (Yes or No):				
Warranty:				
Nearest service/pa	arts vendor:			
Service Vendor ad	dress:			
Delivery Days afte	r receipt of order:			
To be delivered to:	Dane County Land and Water/Parks 4318 Robertson Rd. Madison, WI 53714			

Manufacturer Specifications:

A manufacturer specifications sheet must be submitted with the bid.